


PLAN VIEW



SECTION VIEW

IF DOMESTIC BACKFLOW PREVENTER AND FIRE SERVICE ARE GOING TO BE USED TOGETHER, THE LANDSCAPE HEDGE SHALL SCREEN BOTH DEVICES.

NOTES:

1. ALL UTILITIES MUST BE SCREENED, IF NO UTILITY APPARATUS WAS PRESENT IN LANDSCAPE PLANS AT TIME OF DESIGN AND NOW PRESENT IN FIELD, SCREEN WITH COCOPLUM OR AVAILABLE NATIVE HEDGE, LEAVE 36" ACCESS TO UTILITY IN LESS VISIBLE SIDE.
2. EQUIPMENT (DUMPSTERS, ELECTRICAL TRANSFORMERS, ETC. WITH THE EXCEPTION OF FIRE HYDRANTS) MUST BE SCREENED ON AT LEAST THREE SIDES BY LANDSCAPE MATERIAL A MINIMUM OF 30 INCHES TALL. LANDSCAPING MUST NOT INTERFERE WITH THE NORMAL OPERATION OF THE EQUIPMENT.



ISSUED: MAY 2023	DEPARTMENT OF DEVELOPMENT SERVICES ENGINEERING, TRANSPORTATION & MOBILITY DIVISION	REVISED: -
DRAWN: EG	TYPICAL SCREEN FOR UTILITIES	DRAWING NO.:
APPROVED: JG		L-04